

2017.01.12

福岡市西区・今津干潟の
クロツラヘラサギ、ヘラサギ



三角池と毘沙門山（びしゃもんやま）177m



ヘラサギ（篋鷺）
トキ科 L=86cm



クロツラヘラサギ（黒面篋鷺）
トキ科 L=77cm




クロツラヘラサギ（黒面篋鷺）
トキ科 L=77cm



クロツラヘラサギ (黒面篋鷺) トキ科 L=77cm



ヘラサギ (篋鷺)
トキ科 L=86cm

A photograph of two white birds with long black bills and legs, likely egrets, in a wetland. One bird is in the foreground, wading in shallow water, while the other is in the background, standing on a muddy bank. The water is dark and reflects the sky. The birds have long, thin necks and are facing right. The background is slightly blurred, showing more of the wetland environment.

クロツラヘラサギ (黒面篋鷺)
トキ科 L=77cm

ヘラサギ (篋鷺)
トキ科 L=86cm

クロツラヘラサギ（黒面篋鷺） トキ科 L=77cm

ヘラサギ（篋鷺） トキ科 L=86cm





クロツラヘラサギ (黒面篋鷺)
トキ科 L=77cm



ヘラサギ (篋鷺)
トキ科 L=86cm



クロツラヘラサギ（黒面鏡鷺）
トキ科 L=77cm



クロツラヘラサギ (黒面篋鷺) トキ科 L=77cm




ヘラサギ

クロツラヘラサギ



ヘラサギ

クロツラヘラサギ

Two white birds with long black bills are standing in a field of dry, brown grass. The bird on the left is slightly larger and has a more upright posture, while the bird on the right is smaller and has a more rounded head. Both birds have long, straight black bills and are facing right. The background is a dense field of dry grass, with some green leaves visible in the center.

ヘラサギ (篋鷺)
トキ科 L=86cm

クロツラヘラサギ (黒面篋鷺)
トキ科 L=77cm



ツクシガモ (筑紫鴨)
ガンカモ科 L=63cm





ツクシガモ（筑紫鴨） ガンカモ科 L=63cm



END