


2017.01.13

福岡市西区・今津干潟のヘラサギ、オオジュリン





アカハジロ (赤羽白) オス
ガンカモ科 L=45cm



アカハジロ (赤羽白) オス
ガンカモ科 L=45cm



ホシハジロ (星羽白) メス
ガンカモ科 L=45cm



ヘラサギ (篋鷺) トキ科 L=86cm



オオジュリン (大寿林)
ホオジロ科 L=16cm



オオジュリン (大寿林)
ホオジロ科 L=16cm



ジョウビタキ (尉鶺) オス ヒタキ科 L=14cm



カワウ (河鵜) ウ科 L=82cm

ツクシガモ (筑紫鴨) ガンカモ科 L=63cm





ツクシガモ (筑紫鴨)
ガンカモ科 L=63cm

A photograph showing three parallel, dark, diagonal poles against a clear, light blue sky. Each pole is densely populated with small, brown and white birds, likely sparrows, perched in a line. The birds are facing various directions, some towards the camera and others away. The overall scene is a classic example of a large group of birds gathering on a structure.

アトリ(花鶏) アトリ科 L=16cm



ヘラサギ (篋鷺) トキ科 L=86cm



ヘラサギ (鏡鷺)
トキ科 L=86cm



ダイサギ (大鷺) サギ科 L=90cm



ミサゴ (鵟) ワシタカ科 L=メス64cm



ミサゴ (鵜) ワシタカ科 L=メス64cm



ワシタカ科 L=メス64cm





クロツラヘラサギ (黒面篋鷺)
トキ科 L=77cm







クロツラヘラサギ (黒面篋鷺) トキ科 L=77cm

A photograph of four white birds, likely Black-faced stilts, standing in shallow, rippling water. The birds have long, dark bills and black faces. They are positioned in a line, with one on the left and three on the right. The water is dark and reflects the light. The background is a soft, out-of-focus grey.

クロツラヘラサギ (黒面篋鷺)
トキ科 L=77cm



クロツラヘラサギ (黒面篋鷺)
トキ科 L=77cm



クロツラヘラサギ (黒面篋鷺)
トキ科 L=77cm



クロツラヘラサギ (黒面篋鷺) トキ科 L=77cm

昆沙門山 (びしゃもんやま) 177m



柑子岳（こうしだけ）255m



END