

2017.11.10

福岡市油西区・今津干潟の
タゲリ、クロツラヘラサギ



クロツラヘラサギ（黒面篋鷺）
トキ科 L=77cm





A group of birds, including Tadgeri and Hamashigi, are standing in shallow water. The water is a clear, light blue color, and the birds are scattered across the frame. Some birds are standing on small patches of mud or sand, while others are in the water. The birds have various plumages, including green, white, and black. The background is a vast expanse of water, and the sky is not visible. The overall scene is peaceful and natural.

9:34
田尻橋からのタゲリ、ハマシギ





タゲリ (田鳧)
チドリ科 L=32cm



タゲリ (田鳧)
チドリ科 L=32cm



タゲリ (田鳧)
チドリ科 L=32cm



ハマシギ (浜鹬)
シギ科 L=21cm



ハマシギ (浜鹬)
シギ科 L=21cm




ヘラサギ (篋鷺)
トキ科 L=86cm


クロツラヘラサギ (黒面篋鷺)
トキ科 L=77cm



ヘラサギ (篋鷺)
トキ科 L=86cm

A photograph of two Black-faced Spoonbills standing in shallow water. The bird in the foreground is facing left, showing its long, dark, spoon-shaped bill. The bird in the background is facing right, also showing its bill. Both birds have white plumage and dark faces.

クロツラヘラサギ
(黒面篋鷺)
トキ科 L=77cm

A photograph of a single Black-faced Spoonbill standing in shallow water. The bird is facing left, showing its long, dark, spoon-shaped bill. It has white plumage and a dark face.

ヘラサギ(篋鷺)
トキ科 L=86cm



クロツラヘラサギ(黒面篋鷺)
トキ科 L=77cm



クロツラヘラサギ(黒面篋鷺)
トキ科 L=77cm





クロツラヘラサギ（黒面篋鷺） トキ科 L=77cm