

2017.11.14

福岡市西区・  
今津干潟の  
ハジロカイツブリ、  
ハマシギ、  
コウノトリ



ハジロカイツブリ (羽白鳩)  
カイツブリ科 L=31cm



ハマシギ (浜鷗)  
シギ科 L=21cm





ダイサギ (大鷺)  
サギ科 L=90cm




ダイサギ (大鷺) サギ科 L=90cm

A small, brown, duck-like bird with a yellow eye patch is swimming in dark, rippling water. The bird is facing left and has a long, pointed beak. Its body is mostly submerged, with only its head, neck, and back visible above the water. The water is dark and has small, rhythmic waves.


カイツブリ ( 鴫 )  
カイツブリ科 L=26cm



ハジロカイツブリ (羽白鳩)  
カイツブリ科 L=31cm

A Hamashigi bird (濱鷗) is shown in profile, facing right, in a shallow, rippling body of water. The bird has a long, dark, straight bill and is dipping it into the water. Its plumage is a mix of light brown and white, with darker streaks on its wings and back. The water is clear, and the bird's reflection is visible below it. The background consists of a muddy, rippled surface, likely a tidal flat or a similar coastal environment.

ハマシギ (濱鷗)  
シギ科 L=21cm



ハマシギ (浜鹬) シギ科 L=21cm



ハマシギ (滨鹬) シギ科 L=21cm




クロツラヘラサギ（黒面篋鷺）  
トキ科 L=77cm



A group of approximately 12 cormorants are perched on a long, narrow raft made of bamboo poles. The raft is floating on a calm river. In the background, there is a dense thicket of tall reeds or grasses along the riverbank. The water is dark blue with some ripples. A thin white pole is visible in the water to the right of the raft. The cormorants are mostly black with yellowish-orange beaks and some have lighter-colored heads. Some are looking towards the camera, while others are looking away or preening.


カワウ（河鵜） ウ科 L=82cm



カワラヒワ（河原鶇）  
アトリ科 L=14.5cm



カワラヒワ（河原鶇）  
アトリ科 L=14.5cm

A photograph of four Kawarabito birds perched on bare, light-colored tree branches against a clear, pale blue sky. The birds are small, with brownish upperparts and yellowish-green underparts. One bird on the left is in flight, showing its wings. The other three are perched on different branches, looking in various directions. The branches are thin and bare, with some small buds visible.

カワラヒワ (河原鶉)  
アトリ科 L=14.5cm



アオサギ（蒼鷺）  
サギ科 L=93cm



マガモ（真鴨） ガンカモ科 L=59cm



マガモ (真鴨)  
ガンカモ科 L=59cm

オナガガモ (尾長鴨)  
ガンカモ科 L=オス75cm



15:05 玄洋高校とコウノトリ



15:08 玄洋高校とコウノトリ





コウノトリ (鶴)  
コウノトリ科 L=112cm





END