

201711.30

福岡市西区・今津干潟のクロツラヘラサギ






ミサゴ (鵟)
ワシタカ科 L=メス64cm



ミサゴ (鵟)
ワシタカ科 L=メス64cm

A white heron stands in a shallow, muddy pond. The bird is facing left, with its long, dark beak pointing downwards. Its long, dark legs are visible, and its reflection is clearly seen in the water. The background is a vast, flat, muddy area with some small puddles and debris.

ヘラサギ (篋鷺)
トキ科 L=86cm



クロツラヘラサギ（黒面篋鷺）
トキ科 L=77cm

A group of seven white birds with black faces and long bills are standing in shallow water. They are positioned in front of a dense thicket of tall, dry reeds. The water is dark and rippled. The birds are scattered across the middle ground, some facing left and some right.


クロツラヘラサギ（黒面篋鷺） トキ科 L=77cm










A group of approximately ten white birds with long, black, downward-curving beaks and long black legs are standing on a dark, muddy, and wet ground. The birds are scattered across the frame, some facing left and some facing right. The ground is reflective, showing some of the birds' legs and beaks. The overall scene is a naturalistic depiction of these birds in their habitat.

クロツラヘラサギ (黒面篋鷺)
トキ科 L=77cm

The image shows four white birds, likely Glossy Ibis, standing on a dark, wet, and muddy ground. The birds have long, straight black bills and long black legs. They are positioned in a loose group, with one in the foreground center, one to its left, and two in the background. The ground is dark and reflective, suggesting it is wet. The overall scene is a naturalistic depiction of these birds in their habitat.

グロツラヘラサギ（黒面篋鷺） トキ科 L=77cm

Three white birds with long black bills and legs are standing on a dark, wet, muddy ground. The birds are facing forward, with their bills slightly curved. The ground is dark and reflective, showing some puddles and footprints. The background is a uniform dark grey color.


クロツラヘラサギ（黒面篋鷺）
トキ科 L=77cm




クロツラヘラサギ (黒面鈍鷺)
トキ科 L=77cm









メマツヨイグサ（雌待宵草）
アカバナ科



END