


2017.12.22

熊本県玉名市・横島干拓のツクシガモ、ミサゴ





A photograph showing four white birds with long, straight black bills standing in shallow, rippling water. The birds are positioned in a line across the middle ground. The water is dark and reflects the birds. The foreground shows a dark, textured ground surface, possibly a rocky or muddy bank. The overall lighting is dim, suggesting a low-light environment.

クロツラヘラサギ（黒面篋鷺） トキ科 L=77cm

A group of white birds with black faces and bills, likely Black-faced Masked Boobies, are standing on a rocky shore. The birds are clustered together, with one in the foreground looking towards the camera. The background shows a calm sea under a clear sky. The text at the bottom of the image provides the species name and its length.

クロツラヘラサギ（黒面篋鷲） トキ科 L=77cm



ツクシガモ（筑紫鴨） ガンカモ科 L=63cm



ツクシガモ (筑紫鴨)
ガンカモ科 L=63cm




ツクシガモ (筑紫鴨)
ガンカモ科 L=63cm



ツクシガモ (筑紫鴨)
ガンカモ科 L=63cm



カワラヒワ（河原鶉）
アトリ科 L=14.5cm



アオアシシギ (蒼脚鷗)
シギ科 L=35cm



アオアシシギ（蒼脚鷗）
シギ科 L=35cm



ニューナイスズメ (入内雀) スズメ科 L=14cm



ニューナイスズメ (入内雀)
スズメ科 L=14cm



ツグミ (鶯)
ヒタキ科 L=24cm



ニュウナイスズメ（入内雀）
スズメ科 L=14cm

カワラヒワ（河原鶇）
アトリ科 L=14.5cm



ミヤマガラス (深山鳥)
カラス科 L=47cm



ミヤマガラス (深山鳥)
カラス科 L=47cm



ミヤマガラス（深山鳥）カラス科 L=47cm



ニューナイスズメ（入内雀）
スズメ科 L=14cm



ニューナイスズメ（入内雀）
スズメ科 L=14cm



タゲリ (田鳧)
チドリ科 L=32cm



アオサギ (蒼鷺) サギ科 L=93cm



ジョウビタキ (刷鵲) オス ヒタキ科 L=14cm



ミサゴ (鶚)
ワシタカ科 L=オス54cm



ミサゴ (鵟)
ワシタカ科 L=オス54cm



ミサゴ (鵟)
ワシタカ科 L=オス54cm

カワラヒワ（河原鶉）
アトリ科 L=14.5cm





ミヤマガラス（深山鳥）カラス科 L=47cm

普賢岳（ふげんだけ）1359m



END



アオサギ (蒼鷺)
サギ科 L=93cm





10:04 家畜改良センター熊本牧場