

2018.01.08

福岡市西区・今津干潟のウミアイサ、ミサゴ、カワラヒワ



ミサゴ (鵟)
ワシタカ科 L=メス64cm



カワラヒワ (河原鵲)
アトリ科 L=14.5cm



ウミアイサ (海秋沙) メス カシカモ科 L=55cm

The image shows two female Common Noddies (Umi Aisa) swimming in the ocean. They have dark brown heads with a prominent crest, reddish-brown bills, and dark grey bodies with white underparts. The water is a deep blue with gentle ripples. The birds are positioned in the middle ground, one on the left and one on the right.

ウミアイサ (海秋沙) メス ガンカモ科 L = 55 cm



ダイサギ (大鷺)
サギ科 L=90cm



ダイサギ (大鷺)
サギ科 L=90cm



ダイサギ (大鷺)
サギ科 L=90cm



ダイサギ (大鷺) サギ科 L=90cm
 ヘラサギ (篋鷺) トキ科 L=86cm
 カワウ (河鵜) ウ科 L=82cm



ダイサギ (大鷺) サギ科 L=90cm
 ヘラサギ (篋鷺) トキ科 L=86cm



ダイサギ (大鷺) サギ科 L=90cm

ヘラサギ (篋鷺) トキ科 L=86cm

カワウ (河鵜) ウ科 L=82cm



カワウ (河鵜) ウ科 L=82cm



ミサゴ (鵟)
ワシタカ科 L=メス64cm



ミサゴ (鵟)
ワシタカ科 L=メス64cm



ミサゴ (鵟)
ワシタカ科 L=メス64cm



ミサゴ (鵟)
ワシタカ科 L=メス64cm




ミサゴ (鵟)
ワシタカ科 L=メス64cm



ミサゴ (鵟)
ワシタカ科 L=メス64cm



ヘラサギ (篋鷺) トキ科 L=86cm

A small bird, likely a Japanese sparrow, is perched on a dark metal pipe. The bird has a brown head and back, with a yellowish-green breast and a yellow patch on its wing. It is facing left. The pipe is made of several sections held together by small metal rings. The background is a plain, light-colored sky.

カワラヒワ (河原鶉)
アトリ科 L=14.5 cm

カワラヒワ (河原鶉)
アトリ科 L = 14.5 cm





ハクセキレイ (白鶺鴒) セキレイ科 L=21cm



チョウゲンボウ (長元坊)
ハヤブサ科 L=オス33cm

毘沙門山 (びしゃもんやま) 177m

16:15 二つ池

END