

2018.05.16

福岡市西区・今津干潟のチュウシャクシギ、クロツラヘラサギ



クロツラヘラサギ(黒面篋鷺) トキ科 L=77cm



チュウシャクシギ(中杓鷺)
シギ科 L=42cm

A white egret stands in a field of green grass and plants. The bird is facing left, with its long neck extended. The background is a blurred field of similar vegetation.

チュウサギ(中鷺)
サギ科 L≒68cm



ホオジロ(頬白)　ホオジロ科　L=16cm

A group of approximately seven white birds with black faces and long necks are standing on a dark, rocky shore. They are positioned in a line, with some facing left and others facing right. The background shows a body of water and a distant, hazy shoreline. The birds have long, thin legs and long, straight bills. The ground they are standing on is dark and appears to be made of volcanic rock or similar material. There are some wooden posts or stumps in the ground, one on the left and one on the right. The overall scene is a natural, outdoor setting.

クロツラヘラサギ(黒面籠鷺) トキ科 L=77cm



チュウシャクシギ(中杓鷗)
シギ科 L=42cm

A bird with a long, double-tipped beak is shown in profile, facing right. It is standing in a shallow, muddy tidal pool. The bird's body is covered in brown and white mottled feathers. Its legs are dark and thin. The background consists of a vast, flat, muddy area with some small puddles and debris, typical of a tidal flat. The lighting is bright, suggesting a sunny day.

チュウシャクシギ(中杓鷗)シギ科 L=42cm



チュウシャクシギ(中杓鷗)
シギ科 L=42cm



チュウシャクシギ(中杓鷗)
シギ科 L=42cm



クロツラヘラサギ(黒面篋鷺) トキ科 L=77cm

Two white birds with long black bills and legs are wading in shallow water. They are facing left, with their heads lowered as if foraging. The water is shallow and reflects the light, creating a shimmering effect. The birds' bodies are mostly white, with some darker feathers visible on their wings. Their long, thin legs are partially submerged in the water.

クロツラヘラサギ(黒面篋鷺) トキ科 L=77cm

A white bird, likely a species of egret or heron, is shown in profile, facing right. It has a long, straight, black beak and long, black legs. The bird is standing in shallow, rippling water that reflects the light. The water is dark and contains many small, dark, irregular objects, possibly shells or debris. The bird's head is lowered, and its beak is touching the water's surface. The background is a vast expanse of similar water and debris, extending to the horizon.

クロツラヘラサギ(黒面篋鷺) トキ科 L=77cm

A white bird with a black face and a large, dark, spoon-shaped bill, standing in shallow water with dark rocks.

クロツラヘラサギ(黒面篋鷺) トキ科 L=77cm



チュウシャクシギ(中杓鷗)シギ科 L=42cm

END