

2019.09.11 福岡市西区・今津干潟の
キアシシギ、ソリハシシギ、ホウロクシギ、コブハクチョウ





14:15

今 津 干 潟



ミサゴ(鷲)
ワシタカ科
L=オス54cm、
メス64cm



カワウ(河鵜)
ウ科 L=82cm



アオサギ(蒼鷺)
サギ科 L=93cm



キアシシギ(黄足鷸)
シギ科 L=25cm

嘴が上に
反り返っている

ソリハシシギ(反嘴鷸)
シギ科 L=23cm





カルガモ(軽鴨) ガンカモ科 L=61cm



コブハクチョウ(瘤白鳥)
ガンカモ科 L=152cm



カルガモ(軽鴨) ガンカモ科 L=61cm



アオサギ(蒼鷺) サギ科 L=93cm




アオサギ(蒼鷺)
サギ科 L=93cm



アオサギ(蒼鷺)
サギ科 L=93cm

Two white swans are swimming in dark, rippling water. The swan in the foreground is facing left, with its head lowered towards the water. The second swan is behind it, also facing left, with its head raised and neck curved. Both swans have long, elegant necks and dark beaks. The water is dark blue-grey with small, repetitive ripples across the surface.

コブハクチョウ(瘤白鳥)
ガンカモ科 L=152cm

A photograph of a white egret standing in a shallow, muddy pond. The egret is in the foreground, facing left, with its long neck curved and its long legs partially submerged in the water. In the background, several ducks are standing in the water, some facing the camera and others with their backs to it. The water is dark and reflects the light, and the ground is a mix of mud and small stones.

フサギ(小鷺)
サギ科 L=61cm



ホウロクシギ(培烙鷗)
シギ科 L=63cm

A photograph showing three shorebirds on a rocky beach. The birds are standing on a wet, grey, pebbly shore. The water is shallow and clear, reflecting the birds. The bird on the left is larger and has a long, straight bill. The bird in the middle is smaller and has a slightly curved bill. The bird on the right is also smaller and has a long, thin neck. The background is a vast expanse of the rocky shore.

ハウロクシギ(焙烙鷗) シギ科 L=63cm
チュウシャクシギ(中杓鷗)シギ科 L=42cm(中)

END