

2020.02.13

福岡市西区・今津干潟の

ツクシガモ、チョウゲンボウ、アオアシシギ、ハマシギ



17:25



ツクシガモ(筑紫鴨) ガンカモ科 L=63cm



チョウゲンボウ(長元坊) ハヤブサ科 L=オス33cm



雷山(らいざん)955m

17:29



アオアシシギ(蒼脚鷗) シギ科 L=35cm



ハマシギ(浜鷗) シギ科 L=21cm



ツクシガモ(筑紫鴨) ガンカモ科 L=63cm

11:06



ツクシガモ(筑紫鴨) ガンカモ科 L=63cm



ツクシガモ(筑紫鴨) ガンカモ科 L=63cm



ツクシガモ(筑紫鴨)
ガンカモ科 L=63cm



チョウゲンボウ(長元坊)
ハヤブサ科 L=オス33cm



チョウゲンボウ(長元坊)
ハヤブサ科 L=オス33cm




チョウゲンボウ(長元坊) ハヤブサ科 L=オス33cm



アオアシシギ(蒼脚鷸) シギ科 L=35cm



ツクシガモ(筑紫鴨)
ガンカモ科 L=63cm



ツクシガモ(筑紫鴨)
ガンカモ科 L=63cm

A photograph of two ducks foraging in shallow water. The ducks have white bodies with large brown and black patches on their wings and backs. They have black heads and long, pinkish bills. They are standing in shallow, rippling water, with their heads lowered to the bottom. In the background, another duck is visible, partially obscured. The water is dark and reflects the light. The overall scene is a naturalistic depiction of these birds in their habitat.

ツクシガモ(筑紫鴨) ガンカモ科 L=63cm



アオアシシギ(蒼脚鷸) シギ科 L=35cm



アオアシシギ(蒼脚鷸) シギ科 L=35cm



アオアシシギ(蒼脚鷸) シギ科 L=35cm



アオアシシギ(蒼脚鷸) シギ科 L=35cm



ミサゴ(鶯) ワシタカ科 L=メス64cm



ミサゴ(鶯) ワシタカ科 L=メス64cm



オナガガモ(尾長鴨)
ガンカモ科 L=オス75cm



ホオジロ(頬白)幼鳥
ホオジロ科 L=16cm



ツグミ(鶉)
ヒタキ科 L=24cm



ハマシギ(滨鹬) シギ科 L=21cm

17:17

ハマシギ(浜鷗)
シギ科 L=21cm



Two ducks with black heads, white bodies, and brown wings are foraging in a shallow, muddy pond. They are leaning forward with their heads in the water, and their reflections are visible on the surface. The water is dark and rippled. In the background, another duck is partially visible on the left.

ツクシガモ(筑紫鴨) ガンカモ科 L=63cm

16:35

16:38

ツクシガモ(筑紫鴨)
ガンカモ科 L=63cm



カルガモ(軽鴨) ガンかも科 L=61cm

雷山(らいざん)955m

17:31



17:45 羽金山(はがねやま)900m

END