


2021.11.28

福岡市西区・今津干潟の

マガン、ツクシガモ、ミサゴ、クロツラヘラサギ、セグロカモメ



ツクシガモ(鶺鴒鴨)  
カモメ科 L=63cm



ミサゴ(鵟)  
ワシタカ科 L=メス64cm



クロツラヘラサギ(黒面篋鷺) トキ科 L=77cm



セグロカモメ(背黒鷗) カモメ科 L=61cm

福岡県糸島市・泉川河口



ツクシガモ(筑紫鴨)  
ガンカモ科 L=63cm



ツクシガモ(筑紫鴨) ガンカモ科 L=63cm



ツクシガモ(筑紫鴨)  
ガンカモ科 L=63cm



ツクシガモ(筑紫鴨)  
ガンカモ科 L=63cm



ミサゴ(鵟)  
ワシタカ科 L=メス64cm



ミサゴ(鵟)  
ワシタカ科  
L=メス64cm



カルガモ(軽鴨)  
ガンカモ科 L=61cm



ホンハジロ(早羽白)オス  
ガンカモ科 L=45cm

キンクロハジロ(金黒羽白)オス  
ガンカモ科 L=40cm



オス

メス

キンクロハジロ(金黒羽白)  
ガンカモ科 L=40cm



クロツラヘラサギ(黒面篋鷺) トキ科 L=77cm



クロツラヘラサギ(黒面篋鷺) トキ科 L=77cm



クロツラヘラサギ(黒面篋鷺) トキ科 L=77cm



クロツラヘラサギ(黒面篋鷺) トキ科 L=77cm



クロツラヘラサギ(黒面篋鷺) トキ科 L=77cm



セグロカモメ(背黒鷗) カモメ科 L=61cm

福岡県糸島市・泉川河口



ハマシギ(浜鹬) シギ科 L=21cm

A photograph of three shorebirds, likely sand plovers, standing on a dark, wet beach. The birds have iridescent green and blue feathers on their wings and backs, and white underparts with dark markings on their heads. The ground is dark and reflective, with some shallow puddles of water. The background is a vast, flat expanse of the beach under a clear sky.

タゲリ（田鳧） チドリ科 L=32 c m





ミサゴ (鵟)  
ワシタカ科 L=メス64cm



ミサゴ (鵟)  
ワシタカ科 L=メス64cm



ミサゴ (鵟)  
ワシタカ科 L=メス64cm

END